

COLD-WATER CLEANERS

FOR INDUSTRIAL USE / PRESSURELESS CONTROLLER

Cold water cleaner

Model	160/14
Motor (kW/HP/A)	4/5,5/9
RPM	1400
Max. pressure (bar)	160
Water flow (l/min.)	14
HP-hose (m)	8
Cable (m)	8
Nozzle no.	250073
Rotary nozzle no.	169045
Weight (kg)	45
Art. no.	M16014
€	1.090



Industrial cold-water cleaner / pressure less controller

Model	160/19	200/15	195/18 *	170/21
Motor (kW/HP/A)	5,5/7,5/11	5,5/7,5/11	6,5/9/14	6,5/9/14
RPM	1400	1400	1400	1400
Max. pressure (bar)	160	200	195	170
Water flow (l/min.)	19	15	18	21
Water temperature (max.)	60°C	60°C	60°C	60°C
HP-hose (m)	10	10	10	10
Cable (m)	10	10	10	10
Nozzle no.	120037	250073	120038	120061
Rotary nozzle no.	169065	169045	169075	169060
Weight (kg)	65	65	84	84
Art. no.	M16019	M20015	M19518 *	M17021
€	2.200	2.200	2.350	2.350



Industrial cold-water cleaners

Model	250/15	220/18 *	200/21	170/25
Motor (kW/HP/A)	7,5/10/15	7,5/10/15	7,5/10/15	7,5/10/15
RPM	1400	1400	1400	1400
Max. pressure (bar)	250	220	200	170
Water flow (l/min.)	15	18	21	25
Water temperature (max.)	60°C	60°C	60°C	60°C
HP-hose (m)	10	10	10	10
Cable (m)	10	10	10	10
Nozzle no.	120051	250036	120039	120066
Rotary nozzle no.	169040	169070	169070	169080
Weight (kg)	95	95	95	95
Art. no.	M25015	M22018	M20021	M17025
€	3.000	3.000	3.000	3.250



Industrial cold-water cleaners

Model	200/30	170/35	150/41
Motor (kW/HP/A)	11/15/22	11/15/22	11/15/22
RPM	1400	1400	1400
Max. pressure (bar)	200	170	150
Water flow (l/min.)	30	35	41
Water temperature (max.)	60°C	60°C	60°C
HP-hose (m)	10	10	10
Cable (m)	10	10	10
Nozzle no.	120041	120054	163106
Rotary nozzle no.	94	94	98
Weight (kg)	110	155	140
Art. no.	M20030	M17035	M15041
€	3.420	3.420	3.420



MOBILE HIGH-PRESSURE CLEANERS

COLD WATER CLEANERS

RENO offers a wide range of efficient, mobile and stationary high-pressure cleaners of high quality and manufactured using proven and reliable technology.

- > All cleaners from RENO are running at 1,400 RPM, which contributes to a low noise level.
- > Models from 7.5 kW are with an extra coupling between the motor and pump, which extends the lifetime.

- > The high-pressure cleaners are included a pressure less controller, which means no pressure on hoses and pipings, when the machine is running.
- > All pumps have ceramic pistons, tapered roller bearings, separate oil system and stainless valves, which are easily accessible.

COLD-WATER CLEANERS: HOBBY / PROFESSIONAL

Cold-water cleaners - hobby

Model	Compact 160
Motor (kW/HP/A)	1,1/1,5/7
RPM	2800
Max. pressure (bar)	160 (EW)
Water flow (l/min.)	7
HP-hose (m)	7
Cable (m)	3
Detergents (max.)	10%
Weight (kg)	13
Art. no.	10
€	290



Cold-water cleaner

Model	120/8
Motor (kW/HP/A)	2,2/3
RPM	2800
Max. pressure (bar)	130
Water flow (l/min.)	8,3
HP-hose (m)	8
Cabel (m)	5
Detergents (max.)	10%
Weight (kg)	18
Art. no.	110
€	560



Cold water cleaner - professional

Model	RENO 170/14
Motor (kW/HP/A)	4/5,5/9
RPM	1400
Max. pressure (bar)	170
Water flow (l/min.)	14
Water temperature (max.)	60°C
HP-hose (m)	8
Cabel (m)	8
Detergents (max.)	10%
Nozzle no.	250073
Rotary nozzle no.	169045
Weight (kg)	45
Art. no.	14
€	1.250



STATIONARY HIGH-PRESSURE CLEANERS

INDUSTRIAL CLEANERS / PRESSURELESS CONTROLLERS

Stationary Economic high-pressure cleaners

Model	St. 120/12	St. 175/15	St. 160/19
Motor (kW/HP/A)	2,2/3/5	4/5,5/9	5,5/7,5/11
RPM	1400	1400	1400
Max. pressure (bar)	120	175	160
Water flow (l/min.)	12	15	19
Water temperature (max.)	60°C	60°C	60°C
Nozzle no.	250073	120035	120038
Rotary nozzle no.	169045	169050	169060
Weight (kg)	60	81	86
WxDxH (cm)	72x42x65	72x42x65	72x42x65
Art. no.	SE12012	SE17515	SE16019
€	1.950	2.050	2.200



Stationary Economic high-pressure cleaners

Model	St. 170/21	St. 200/21	St. 170/25
Motor (kW/HP/A)	6,5/9/14	7,5/10/15	7,5/10/15
RPM	1400	1400	1400
Max. pressure (bar)	170	200	170
Water flow (l/min.)	21	21	25
Water temperature	60°C	60°C	60°C
Nozzle no.	120061	120039	120066
Rotary nozzle no.	169060	169070	169080
Weight (kg)	90	90	91
WxDxH (cm)	72x42x65	72x42x65	72x42x65
Art. no.	SE17021	SE20021	SE17025
€	2.450	2.650	2.850



Stationary Economic high-pressure cleaners

Model	St. 170/35	St. 200/30	St.150/41
Motor (kW/HP/A)	11/15/22	11/15/22	11/15/22
RPM	1400	1400	1400
Max. pressure (bar)	170	200	150
Water flow (l/min.)	35	30	41
Water temperature	60°C	60°C	60°C
Nozzle no.	120054	120041	163105
Rotary nozzle no.	94	94	98
Weight (kg)	110	126	140
WxDxH (cm)	72x42x65	72x42x65	72x42x65
Art. no.	SE17035	SE20030	SE15041
€	3.300	3.300	3.300



Stationary high-pressure cleaners

Model	St. 175/15	St. 160/19	St. 200/21
Motor (kW/HP/A)	4/5,5/9	5,5/7,5/11	7,5/10/15
RPM	1400	1400	1400
Max. pressure (bar)	175	160	200
Water flow (l/min.)	15	19	21
Water temperature	60°C	60°C	60°C
Nozzle no.	120035	120038	120039
Rotary nozzle no.	169050	169060	169070
Weight (kg)	131	137	140
WxDxH (cm)	90x47x67	90x47x67	90x47x67
Art. no.	S17515	S16019	S20021
€	2.590	2.980	3.180



HIGH-PRESSURE CLEANERS

500 BAR / HOTBOX / HOT-WATER CLEANERS

Stationary high-pressure cleaners

Model	St. 170/25	St. 170/35	St. 200/30	St. 150/41
Motor (kW/HP/A)	7,5/10/15	11/15/22	11/15/22	11/15/22
RPM	1400	1400	1400	1400
Max. pressure (bar)	170	170	200	150
Water flow (l/min.)	25	35	30	41
Water temperature	60°C	60°C	60°C	60°C
Nozzle no.	120066	120054	120041	163105
Rotary nozzle no.	169080	94	94	98
Weight (kg)	141	110	196	140
WxDxH (cm)	90x47x67	90x47x67	90x47x67	90x47x67
Art no.	S17025	S17035	S20030	S15041
€	3.750	3.350	3.350	3.350



Stationary hot-water high-pressure cleaners

Model	St. 200/42	St. 200/42	St. 170/50	St. 200/60
Motor (kW/HP/A)	2 x 7,5/10/30	2 x 7,5/10/30	2 x 7,5/10/30	2 x 11/15/44
RPM	1400	1400	1400	1400
Max. pressure (bar)	200	200	170	200
Water flow (l/min.)	42	42	50	60
Water temperature	60°C	60°C	60°C	60°C
Soft start	nej	ja	ja	ja
Rotary nozzle no.	2 x 120037	2 x 120037	2 x 120039	2 x 120041
Rotor no.	2 x 169070	2 x 169070	2 x 169080	2 x 94
Weight (kg)	263	263	270	380
WxDxH (cm)	90x47x165	90x47x165	90x47x165	90x47x165
Art no.	S20042	S20042-soft	S17050-soft	S20060-soft
€	6.650	8.000	8.100	8.700



Stationary hot-water high-pressure cleaners

Model	SH6000	SH8000
Motor (kW/HP/A)	5,5/7,5/12	7,5/10/16
RPM	1400	1400
Max. pressure (bar)	160	200
Water flow (l/min.)	19	21
Automatisk start/stop	Ja	Ja
Water temperature	110°C	110°C
HP Hose (m)	10	10
Cable (m)	8	8
Nozzle no.	120037	120039
Rotary nozzle no.	169065	169070
WxDxH (cm)	95x70x75	95x70x85
Weight (kg)	125	140
Art no.	SH16018	SH20021
€	6.300	7.200



Hotbox

Model	Hotbox BRD 750	Hotbox BRD 750 * 1/2" Spiral
Motor (kW/HP/A)	0,25/0,3/1,4 1x230V.	0,25/0,3/1,4 - 1x230 V.
Max. pressure (bar)	200	10
Water flow (l/min.)	20	20
Water temperature	110°C	110°C
Weight (kg)	66	66
WxDxH (cm)	40x64x80	40x64x80
Art no.	19	HB6515 *
€	2.300	3.400



MOBILE HIGH-PRESSURE CLEANERS

HOT WATER / HYDRAULIC / MODEL FOR INTEGRATION

Hot water cleaners

Model	HW 4000	HW 6000	HW 7500	HW 8000
Motor (kW/HP/A)	4/5,5/10	5,5/7,5/12	6,8/9/14	7,5/10/16
RPM	1400	1400	1400	1400
Max. pressure (bar)	160	160	200	200
Water flow (l/min.)	15	19	18	21
Automatic start/stop	Ja	Ja	Ja	Ja
Water temperature	110°C	110°C	110°C	110°C
HP-hose (m)	10	10	10	10
Cabel (m)	8	8	8	8
Nozzle no.	120035	120037	250036	120039
Rotary nozzle no.	169050	169065	169055	169070
WxDxH (cm)	95x70x75	95x70x75	95x70x85	95x70x85
Weight (kg)	120	125	130	140
Art.no.	H16015	H16018	HW20018	H20021
€	4.100	4.300	4.400	5.400



Mobile high pressure cleaners 200-500 bar

Model	200/35	400/18	500/15
Motor (kW/HP/A)	15/20/30	15/20/30	15/20/30
RPM	1400	1400	1400
Max. pressure (bar)	200	400	500
Water flow (l/min.)	35	18	15
Water temperature	60°C	60°C	60°C
Nozzle no.	120064	120040/1	120040/1
Rotary nozzle no.	94	95	95
Weight (kg)	145	155	155
WxDxH (cm)	120x75x70	120x75x70	120x75x70
Art.no.	M20035	M40018	M50015
€	5.400	6.300	6.300



Hydraulic cleaners

Model	170/14	250/35	200/21
Motor (kW/HP)	4/5,5	15/20	7,5/10
RPM	1440	1750	1440
Max. pressure (bar)	170	250	200
Water flow (l/min.)	14	35	21
Water temperature	60°C	60°C	60°C
Ceramic pistons	3	3	3
Direct coupling	Ja	Ja	Ja
Oil motor RPM	1440	1750	1440
Oil volume (l/min)	16	*	*
Oil pressure (bar)	170	>200	>200
Flow control	Ja	Nej	Nej
HP-hose (m)	8	10	10
Nozzle no.	250073	120041	120037
Rotor Nozzle no.	169045	94	79
Weight (kg)	24	40	35
Pump	250063	250251	250141
Oli motor	254000	*	*
Art. no.	775	O25035	O20021
€	1.650	3.490	2.900



Model 170/14



Model 250/35 & 200/21

HIGH-PRESSURE CLEANERS

SPECIAL SOLUTIONS / DIESEL / PETROL

Petrol operated high-pressure cleaners

Model	PD120/13	PD200/15	PD220/18
Motor (kW/HP)	4/5,5*	8,3/11*	10/13*
RPM	3400	3400	1400
Max. pressure (bar)	120	200	220
Water flow (l/min.)	13	15	18
Water temperature	60°C	60°C	60°C
HP-hose (m)	10	10	10
Detergents (max.)	10%	10%	10%
Nozzle no.	250036	250073	120035
Rotary nozzle no.	169055	169045	169050
Weight (kg)	45	65	75
Art. no.	30 Honda	B20015	B22018
€	2.250	2.950	3.490



Motocross high-pressure cleaner

Model	110/13
Motor (kW/HP)	3/4 - Honda
RPM	3400
Max. pressure (bar)	110
Water flow (l/min.)	13
Water temperature	60°C
HP-hose (m)	8
Detergents (max.)	10%
Rotary nozzle no.	120035
Weight (kg)	30
WxDxH (cm)	49x34x44
Art. no.	31
€	1.290



Diesel operated hot-water cleaners

Model	200/15	280/15	260/21
Motor (kW)	9,9*	14,9*	14,9*
RPM	1400	1400	1400
Max. pressure (bar)	200	280	260
Water flow (l/min.)	15	18	21
Water temperature	110°C	110°C	110°C
Weight (kg)	225	225	225
€	16.800	16.800	18.750



Gasoline operated industrial high-pressure cleaners

Model	PD200/30	PD180/41
Motor (kW/HK)	15/20*	15/20*
RPM	1400	1400
Max. pressure (bar)	200	180
Water flow (l/min.)	30	41
Water temperature	60°C	60°C
HP-hose (m)	10	10
Detergent, max.	10%	10%
Rotary nozzle no.	120041	163105
Nozzle no.	94	98
Weight (kg)	95	95
Art. no.	B20030	B18041
€	6.400	6.400

